Journal of

Social and Administrative Sciences

www.kspjournals.org

Volume 4 December 2017 Issue 4

Hawking irreversibility and socio-economic derminism

By Jan-Erik LANE at & Florent DIETERLEN b

Abstract. Physicist Stephen Hawking has suggested that climate changes is about to become unstoppable. One may introduce a concept of Hawking irreversibility as the point where temperature has risen so much that the global warming consequences threaten the survival of mankind. The recent news out of China that its CO2s are increasing again makes this term highly policy relevant. Moreover, the methane emissions have started to augment, which also calls up Hawking irreversibility. The drive behind these dire developments is the endless zest for affluence and wealth, fueled by ever larger energy consumption.

Keywords. Decarbonisation, Hawking irreversibility, GHCs, CO2S, Methane, COP21 Treaty goals, Solar power plants. **JEL.** N70, O13, P28.

1. Introduction

limate scientists warn, already before the implementation of the UNFCCC Agreement from Paris 2015 that the decarbonisation plan decided in global governance will not be enough to stabilize temperature at + 2 Celsius, at most. Global average temperature will most probably be larger than the COP21 objective. At what point on the temperature scale, we move into Hawking irreversibility is not known. But a rise beyond + 4 degrees will have dramatic consequences for the ecology and human social systems.

A few days before the start of the UN global environment reunion COP23 (6-13 November 2017) in Bonn, the major study Climate Science Special Report: Fourth National Climate Assessment (USGCRP, 2017): was published in Washington. It examines the global warming problematic from the point of view of the US and the world, based upon years of research by a large group of US scholars. It definitively recommends a combination of national and international policy-making to halt temperature rise, despite the fact that the US government is negative. It renders an impressive list of climate change impacts upon the US territory and points decisively at human causes. We must then ask: Can decarbonisation policies be implemented or managed? The COP23 by the UNFCCC reflects upon the very same problem.

If or when global warming reaches the point of no return with temperatures perhaps plus 4-6 degrees Celsius higher, then the present calamities will be magnified: a) Melting of polar ice massively: b) Retraction of glaciers globally; c) Huge land losses along the costs (Bangladesh); d) Too high temperatures for men and women to work outside (South Asia); e) Food production decline (Africa); f) Fish harvest decrease (Atlantic ocean, Pacific Ocean); g) Droughts and starvation (South Asia); h) Lack of fresh water supply (Latin America); i0 Drying up of rivers, affecting electricity supply (Latin America, South Asia, East Asia); j) Ocean

Fellow with Public Policy Institute, Belgrade; 10 Charles Humbert, 1205 Geneva; 559 A, 3rd Floor, Thuya Street, 9th Quarter, Yangon. Myanmar.

[✓] janeklane@googlemail.com
Independent Scholar, Geneva.

acidification and species extinction (Australia); k) Highly volatile climate with giant forest fires, storms, rainfall and tornados with tremendous damages inclusing mudslides (Caribbean, North America, Sri Lanka, Vietnam, China, Australia)); l) Deforestation and desertification (Latin America, Africa, Indonesia, South Asia).. If worse comes to worse, global heat streams like the Gulf Stream and the Atlantic Current may be affected, changing weather in the Northern and Southern hemispheres.

2. Present global predicament

2.1. No Kuznets' Curve for CO2s

The greenhouse gases (GHG) have a strong anthropogenic sources, being linked with socio-economic development or economic growth via the consumption of energy, especially the burning of fossil fuels, use of cement and emission of methane from land sinks, cows, microbes, etc. The UNFCCC has focused on halting CO2s and decreasing them in a gigantic decarbonisation policy globally in this century. Figure 1shows that there is no Kuznets' curve (first rising, then descending) for CO2: richer countries emit more CO2 than poor ones. International aviation is a very major source of CO2 emissions, and it is booming.




Figure 1. GDP-COP for all countries

All countries in the world have formed a common pool regime (CPR) to save the atmosphere from more GHGs, focusing only upon the CO2s. The global decarbonisation plan includes:

- i) Halting the rise if CO2s by 2020 (GOAL I);
- ii) Reducing the CO2s by 30-40% by 2030 (GOAL II);
- iii) Complete decarbonisation by around 2075 (GOAL III);
- iv) Decentralised implementation under international oversight, financial support and technical assistance.

These are enormous goals, as only one country – Uruguay – is near GOAL I and GOAL II. Some countries have lately had stalling or even decreasing CO2s, but many other still face an upward sloping curve.

2.2. Energy

Energy generates not only survival but also affluence and wealth, being vital to both poor and rich countries. If energy consumption is reduced, there will be global economic recessions and mass poverty as well as unemployment. But Planet Earth consumes too much energy from one major source: burning fossil fuels. One may employ some standard sources on energy consumption and what is immediately obvious is the immensely huge numbers involved – see Table 1.

Table 1. Energy consumption 2015 (Million Tons of oil equivalent)

	Total	%	
Fossil fuels	11306,4	86,0	<u>.</u>
Oil	4331,3	32,9	
Natural Gas	3135,2	23,8	
Coal	3839,9	29,2	
Renewables	1257,8	9,6	
Hydroelectric	892,9	6,8	
Others	364,9	2,8	
Nuclear power	583,1	4,4	
Total	13147,3	100,0	

Source: BP Statistical Review of World Energy 2016

Table 1holds the answer to why GHG emissions have become the global headache number 1. Energy for humans and their social systems come to an average of 90% from burning fossil fuels: stone and wood coal, oil and gas. And people do that all over the world, though to very different degrees from 100% to less than 50% of all energy consumption, because it is necessary for affluence and survival. The enormous expansion in the energy consumption of fossil fuels has allowed the world to take on many new inhabitants, as well as reducing poverty in the Third World and much enhancing affluence and wealth in the First world.

CO2 emissions are closely connected with energy consumption, globally speaking. Projections for future energy augmentation in the 21st century are enormous, especially for Asia (EIA, BP, IEA). Figure 2 developments since 1990.





Figure 2. Global GDP-CO2 link: y = 0.7498x, $R^2 = 0.9801$

GDP increases with the augmentation of energy per capita. Decarbonisation is the promise to undo these dismal links by making GDP and energy consumption rely upon carbon neutral energy resources, like modern renewables and atomic energy.



GDP / (Constant value 2010 USD)

Figure 3. *GDP against energy per person, 2005-2016* **Source:** World Bank Data Indicators, BP Statistical Review of World Energy 2017.

Both curves in Figures 2 and 3 indicate stalling, which is what the UNFCCC hopes for. But recent new out of China informs about renewed augmentation of

JSAS, 4(4), J.-E. Lane, & F. Dieterlen, p.357-364.

CO2s in 2017.Together with recent trends in methane emissions, Hawking irreversibility is not far off.

3. Temperature rise

3.1. CO2s

One may attempt to calculate exactly how increases in greenhouse gases impact upon temperature augmentations. Take the case of CO2s, where a most complicated mathematical formula is employed: T = Tc + Tn, where T is temperature, Tc is the cumulative net contribution to temperature from CO2 and Tn the normal temperature. Moreover, the general formula reads: $dT = \lambda *dF$, where 'dT' is the change in the Earth's average surface temperature, ' λ ' is the climate sensitivity, usually with degrees Celsius per Watts per square meter (°C/[W/m2]), and 'dF' is the radiative forcing. To get the calculations going, we start from lambda between 0.54 and 1.2, but let's take the average = 0.87. Thus, we have the formula (Myhre el al, 1998): Formula:

$$0.87 \times 5.35 \times \ln(C/280)$$
. (1)

Figure 4 shows how CO2 emissions may raise temperature to 4-5 degrees, which would be Hawking's worst case scenario.




Figure 4. CO2s and temperature rise in Celsius

No one knows where the critical temperature rise occurs, i.e. from which Celsius degree global warming becomes "irreversible", to use Stephen Hawking's expression. It could be as low as + 2 Celsius or as high as +5 Celsius.

There are several greenhouse gases, but the two biggest are the CO2s and methane. The UNFCCC has concentrated upon halting and reducing carbon dioxide, but now we are about to face a methane threat. Moving now and up to 2030, according to the COP21's GOAL II for decarbonisation would eliminate Hawking irreversibility Time has come for halting and reducing CO2 emissions by real implementation and not utopian dreams of a sustainable economy (Sachs, 2015). There is nothing to wait for any longer (Stern, 2015), as the COP23 must set up the promised Super Fund. No time for politicking in the UN any longer (Conca, 2015; Vogler, 2016). Yet, could socio-economic determinism drive mankind to take proper action according to the COP21 Treaty?

3.2. Methane emissions

We shall use the methane concentration curve from mid 2013 to beginning of 2017 issued by NOAA ESRL [Retrieved from] gently suggested by Dlugokencky and Kuniyuki. Why mid 2013? Because it is the last maximum of the second derivative before 2017. Since then, the curve is approximately linear, and we will derive its equation hereunder.

Why should we start with a linear approximation, the simplest approximation that can be found? Because it is a mean between two extreme scenarios:

- 1) Another plateau like during the years 1999-2006 (probably due to an enhancement in methane transport insulation in ex-USSR after 1991, Pearce), unlikely for the following reasons. Any decrease in methane concentration is very unlikely, as the main sources (in decreasing importance order) generally increase:
- a) Agriculture emissions increase with the increase of population, the increase in meat diet in developing countries and the temperature increasing the metabolism of microbes in rice agriculture.
- b) Wetlands emissions don't diminish yet, as the microbial chemical activity will increase with temperature for many years.
- c) Fossil fuel production and use doesn't diminish yet, and was underestimated by industry (Fred Pearce, [Retrieved from]).
- d) Biomass burning doesn't diminish yet, therefore the primary forest diminishes in the tropics, leading also to a decrease in animal, vegetal and cultural (Indigenous People) diversities and an increase in biosphere entropy.

e) Other natural emissions


The most important contribution to the recent rise of methane concentration is mainly due to the increase in activity by microbes, present in points a), b) and d) (Nisbet, in the above reference), mainly in the tropics. This study suggests the positive feedback of the chemical increase of activity of microbes is starting now, yielding a quasi-exponential curve in the near future, or at least a steeper curve.

We will derive examples of future increase in methane concentration due to such a positive feedback, in addition to a linear approximation. For this, we will not simulate differential equations, which would be the best option, but simulate the hypothetical solution of a transition (bifurcation) between 2 steady-states, with a S-shaped function (which approximate the bifurcation between 2 steady-states) multiplied (to have continuity) by the linear approximation. We shall approximate the S-shape curve by an transitory (5 years) exponential curve in continuity with the linear approximation.

The present (November 2017) quasi-linear curve starts mid 2013 (2013.5) and its ordinate is approximately 1813 ppb. We will use as a last value at start of 2017 (2017), and the function is approximately 1846 ppb.a straightforward calculation gives the slope: it is approximately 10 ppb/year. Therefore the equation for the future curve if there is no vicious circle (positive feedback) is:

$$y = 10 (t - 2013.5) + 1813$$
 (2)

where is the time when one wants to know the CH₄ concentration, and y is the future CH₄ concentration in ppb. From this equation, one can estimate the approximate the temperature rise due by methane, by applying to y the formula (1), and multiply it by 25. It will be valid for close future, but will probably be underestimated for farther future, where it will probably closer to an exponential.



4. Decarbonisation strategies

The UNFCCC suggests a decentralized management strategy for decarbonisation. Reflecting the enormous differences in available energy resources in the member states of COP21 Treaty, each government must develop a strategy for achieving Goal I, Goal II and Goal III. The COP may wish to concentrate upon the following measures start credible decarbonisation:

- 1) Phasing out coal power plants; convincing a few countries like India and Australia not to build new ones;
- 2) Replace wood coal with natural gas small or large scale, stopping deforestation and the use of charcoal in households in poor nations;
- 3) Massive construction of solar power and wind power plants in all countries, as well as stimulate small scale solar power;
- 4) Turn some countries away from massive dam constructions towards solar power parks, like Brazil and India, as the environmental damages are too big;
 - 5) Help some countries maintain their huge forests;
- 6) Abstain from expensive and unsafe carbon sequestration techniques in favour of electricity: solar power and electrical vehicles.
- 7) The promise of financial support Super Fund –has to be clarified about both funding and budgeting. A management structure has to be introduced for oversight of the entire decarbonisation process. As the emission of methane increases, the reduction of CO2s is all the more important, if irreversibility is to be avoided with a margin.

The resort to atomic power plants is highly contested. Nuclear power gets safer and safer, but the problem of storing the used uranium has no solution. If global warming becomes really bad, all these radioactive materials could be released back in our social systems and nature. Some countries expand atomic energy, whereas others dismantle it.

5. Solarpower parks - A model example

Consider now Table 3, using the giant solar power station in Morocco as the benchmark – How many would be needed to replace the energy cut in fossil fuels and maintain the same energy amount, for a few selected countries with big CO2 emissions?

Table 3. Number of Ouarzazate plants necessary in 2030 for COP21's GOAL II: (Note: Average of 250 - 300 days of sunshine used for all entries except Australia, Indonesia, and Mexico, where 300 - 350 was used).

Mexico, where 300 - 350 was used).					
Nation	Co2 reduction pledge /	Number of gigantic solar	Gigantic plants needed		
	% of 2005 emissions	plants needed (Ouarzazate)	for 40 % reduction		
United States	$26 - 28^{-1}$	2100	3200		
China	none ²	0	3300		
EU28	41 - 42	2300	2300		
India	none ²	0	600		
Japan	26	460	700		
Brazil	43	180	170		
Indonesia	29	120	170		
Canada	30	230	300		
Mexico	25	120	200		
Australia	26 - 28	130	190		
Russia	None ³	0	940		
Canada	30	230	300		
Mexico	25	120	200		
France	37 ⁵	210	220		
Italy	35 ⁵	230	270		
Sweden	42 5	30	30		
Argentina	none ²	0	80		
Uruguay	none ²	0	3		
Chile	35	25	30		
World	N/A	N/A	16000		

Notes: 1) The United States has pulled out of the deal; 2) No absolute target; 3) Pledge is above current level, no reduction; 4) Upper limit dependent on receiving financial support; 5) EU joint pledge of 40 % compared to 1990.

If countries rely much upon water or geo-thermal power or atomic power, the number in Table 2 will be reduced. Table 2 displays the dependency upon fossil fuels that may go over 90% in some countries. Each country energy predicament is both situation dependent and path dependent, reflecting natural resources and past policies.

The key question is: Can so much solar power be constructed in some 10 years? If not, Hawking may be right. Thus, the COP23 should decide to embark upon an energy transformation of this colossal size.

Solar power investments will have to take many things into account: energy mix, climate, access to land, energy storage facilities, etc. They are preferable to nuclear power, which pushes the pollution problem into the distant future with other kinds of dangers. Geo-thermal power comes from volcanic power and sites.

It has been researched has much a climate of Canadian type impacts upon solar power efficiency. In any case, Canada will need back-ups for its many solar power parks, like gas power stations. Mexico has a very favourable situation for solar power, but will need financing from the Super Fund, promised in COP21 Treaty. In Latin America, solar power is the future, especially as water shortages from the Andes may be expected. Chile can manage their quota, but Argentine needs the Super Fund for sure. Uruguay has the best number globally, relying upon water and biomass. Table 3 has the data for the African and Asian scene with a few key countries, poor or medium income.

Table 3. Number of Ouarzazate plants necessary in 2030 for COP21's GOAL II: (Note:

Average of 300 - 350 days of sunshine per year was used).

Nation	Co2 reduction pledge /	Number of gigantic solar	Gigantic plants needed
	% of 2005 emissions	plants needed (Ouarzazate)	for 40 % reduction
Algeria	7 - 22 1	8	50
Egypt	none ²	0	80
Senegal	5 - 21	0,3	3
Ivory Coast	28 - 36 ⁴	2	3
Ghana	15 - 45 4	1	3
Angola	35 - 50 ⁴	6	7
Kenya	30 4	3	4
Botswana	17 4	1	2
Saudi Arabia	none ²	0	150
Iran	4 - 12 4	22	220
Kazakhstan	None ²	0	100
Turkey	21	60	120
Thailand	20 - 25 4	50	110
Malaysia	none ²	0	80
Pakistan	none ²	0	60
Bangladesh	3,45	2	18

Notes: 1) The United States has pulled out of the deal; 2) No absolute target; 3) Pledge is above current level, no reduction; 4) Upper limit dependent on receiving financial support; 5) EU joint pledge of 40 % compared to 1990.

Since Africa is poor, it does not use much energy like fossil fuels, except Maghreb as well as Egypt plus much polluting South Africa, which countries must make the energy transition as quickly as possible. The rest of Africa uses either wood coal, leading to deforestation, or water power. They can increase solar power without problems when helped financially. For a few Asian countries, the numbers are staggering, but can be fulfilled, if turned into the number ONE priority. Some of the poor nations need external financing and technical assistance.

6. Conclusion

We are not yet at the point of irreversibility, meaning there are still a few degrees of freedom for government policy-making and international governance. The plans of the UNFCCC must be implemented by all nations: Goal I: halting CO2 growth, Goal II: reducing CO2s until 2030 and Goal III: near complete decarbonisation by 2075. But time is certainly running out.

References

Conka, K. (2015). *Un Unfinished Foundation. The United Nations and Global Environmental Governance.* Oxford: OUP.

Kaya, Y., & Yokoburi, K. (1997). *Environment, Energy, and Economy: Strategies for Sustainability*. Tokyo: United Nations University Press.

Ostrom, E. (1990). Governing the Commons. Cambridge: Cambridge U.P.

Ramesh, J. (2015). *Green Signals: Ecology, Growth and Democracy in India*. Oxford: Oxford University Press.

Sachs, J.D. (2015). The Age of Sustainable Development. New York: Columbia University Press.

Stern, N. (2007). The Economics of Climate Change. Oxford: OUP.

Stern, N. (2015). What are We Waiting for? Cambridge, MA: MIT Press.

Vogler, J. (2016). Climate Change in World Politics. Basingstoke: Macmillan Palgrave.

Sources: Solar power

Paris 2015: Tracking country climate pledges. Carbon Brief, [Retrieved from].

EDGAR v 4.3.2, European Commission, Joint Research Centre (JRC)/PBL Netherlands Environmental Assessment Agency. Emission Database for Global Atmospheric Research (EDGAR), release version 4.3.2. [Retrieved from].

CO2 Emission reduction with Solar. [Retrieved from].

GDP sources:

World Bank national accounts data. [Retrieved from].

OECD National Accounts data files

GHG and energy sources:

World Resources Institute CAIT Climate Data Explorer - cait.wri.org

EU Joint Research Centre Emission Database for Global Atmospheric Research. [Retrieved from].

UN Framework Convention on Climate Change. [Retrieved from].

International Energy Agency. Paris.

Energy Information Administration. Washington, DC.

BP Energy Outlook 2016.

EU Emissions Database for Global Research EDGAR. [Retrieved from].

World Bank Data Indicators. [Retrieved from].

British Petroleum Statistical Review of World Energy 2016



Copyrights

Copyright for this article is retained by the author(s), with first publication rights granted to the journal. This is an open-access article distributed under the terms and conditions of the Creative Commons Attribution license (http://creativecommons.org/licenses/by-nc/4.0).

